

## APPROVED DISINFECTANTS AS OF AUGUST 2010

The following is a list of disinfectants approved by the Department of Agriculture and Rural Development under the Diseases of Animals (Approval of Disinfectants) Order (NI) 2008 specifying the dilutions at which they are respectively approved.

### APPROVED DILUTION RATES EXPRESSED AS PARTS WATER TO ONE PART DISINFECTANT

DISINFECTANT	FOOT & MOUTH DISEASE	SWINE VESICULAR DISEASE	POULTRY DISEASES	TB	GENERAL ORDERS
ANTEC HYPEROX	150	50	375	—	179
ANTEC VIRKON E	1300**	100**	280**	—	120**
ANTEC VIRUDINE	600	650	110	—	100
BALLISTA	200**	—	200**	—	200**
BREAKER	200**	—	200**	—	200**
CLINIDINE	320	—	140	—	—
CLINIDINE 28	500	400	170	—	100
FAM	525	400	150	15	110
FAM 30	550	600	150	20	180
FARM FLUID HD	—	—	100	—	50
FARM FLUID HD (ROW)	200	50	200	15	60

<b>FARMSAN</b>	<b>550</b>	<b>600</b>	<b>150</b>	<b>20</b>	<b>180</b>
<b>GENUS UNIVERSAL</b>	<b>550</b>	<b>600</b>	<b>150</b>	<b>20</b>	<b>180</b>
<b>GPC 8</b>	<b>80</b>	<b>250</b>	<b>190</b>	—	<b>35</b>
<b>HPPA</b>	<b>150</b>	<b>30</b>	<b>400</b>	—	<b>190</b>
<b>INCIDIN AL</b>	<b>30</b>	<b>400</b>	<b>90</b>	—	<b>19</b>
<b>INCIDIN PD</b>	—	—	<b>20</b>	—	<b>32</b>
<b>IODEL FDII</b>	<b>450</b>	<b>500</b>	<b>145</b>	<b>15</b>	<b>150</b>
<b>IODOSURE BIO</b>	<b>240</b>	—	<b>111</b>	—	—
<b>KILCOX EXTRA</b>	—	<b>300</b>	<b>110</b>	—	<b>50</b>
<b>NOVAGEN FP</b>	<b>240</b>	<b>180</b>	<b>80</b>	<b>18</b>	<b>145</b>
<b>ORFICIDE +</b>	—	—	—	—	<b>40</b>
<b>PHARMAQ VETREKILL</b>	<b>60</b>	<b>300</b>	<b>150</b>		
<b>PROXITANE AHC(2)</b>	<b>800</b>	<b>160</b>	<b>145</b>	—	<b>256</b>
<b>PUROGENE</b>	<b>250</b>	<b>240</b>	<b>20</b>	—	<b>22</b>
<b>QUATDET CLEAR</b>	—	—	—	—	<b>13</b>
<b>SEPTRIVET 17 (sold in tablet form)</b>	<b>299**</b>	<b>299**</b>	<b>449**</b>	—	<b>299**</b>

<b>SORGENE 5</b>	<b>75</b>	<b>—</b>	<b>100</b>	<b>—</b>	<b>200</b>
<b>STERIL TABS</b>	<b>200**</b>	<b>—</b>	<b>200**</b>	<b>—</b>	<b>200**</b>
<b>SWC BACTO DETSAN</b>	<b>20</b>	<b>10</b>	<b>—</b>	<b>—</b>	<b>10</b>
<b>SWC BROADOL</b>	<b>80</b>	<b>250</b>	<b>190</b>	<b>—</b>	<b>35</b>
<b>TERMINOL FARM</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>29</b>
<b>TOTAL FARM DISINFECTANT</b>	<b>550</b>	<b>600</b>	<b>150</b>	<b>20</b>	<b>180</b>
<b>V26</b>	<b>200**</b>	<b>200**</b>	<b>300**</b>	<b>—</b>	<b>—</b>
<b>VANODOX</b>	<b>200</b>	<b>30</b>	<b>300</b>	<b>—</b>	<b>300</b>
<b>VIREX</b>	<b>1300**</b>	<b>200**</b>	<b>300**</b>	<b>—</b>	<b>100**</b>
<b>VIRKON ADVANCED</b>	<b>200**</b>	<b>—</b>	<b>250**</b>	<b>—</b>	<b>200**</b>
<b>VIROGUARD</b>	<b>—</b>	<b>—</b>	<b>175</b>	<b>—</b>	<b>10</b>
<b>VIROPHOR 2.8%</b>	<b>550</b>	<b>150</b>	<b>185</b>	<b>33</b>	<b>50</b>
<b>VIROSHIELD</b>	<b>—</b>	<b>300</b>	<b>165</b>	<b>—</b>	<b>25</b>
<b>VIRUCIDAL EXTRA</b>	<b>500**</b>	<b>—</b>	<b>100**</b>	<b>—</b>	<b>60**</b>
<b>ZAL PERAX II</b>	<b>800</b>	<b>160</b>	<b>145</b>	<b>—</b>	<b>256</b>

**\*\* - The volume (mls) of water to which 1g of the product is to be added.**

**NOTE:** Dilution rates for disinfectants for use against **Foot and Mouth Disease** and/or **Swine Vesicular Disease** relate to effectiveness when applied to a clean surface; i.e., one which has been:

- ✓ thoroughly washed or sprayed with an approved disinfectant;
- ✓ thoroughly cleansed, ensuring that dung, litter, etc is removed and disposed of so that there is no risk of contact with livestock

The clean area should then be washed or sprayed with an approved disinfectant, used at the correct dilution.